

SUPPLEMENT TO

The Gazette



of India

37]

NEW DELHI, SATURDAY, SEPTEMBER 10, 1949

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, Plague and typhus in districts in India and some of the Indian States during the week ending the 13th August 1949.

INDIA							Bombay						
CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE		
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
INDIA							Bombay						
Madras							Bombay	4					
Agastipattam	6	3	5	Ahmedabad
Osacole	4	3	11	3	Kaira
Godavari	260	133	7	2	Broach
Godavari	139	64	1	Panch Mahals
stna	17	7	10	5	Surat	4	1
ntur	19	11	61	13	Thana	11	6	13	1
lore	1	..	33	4	Bombay Suburban
dapah	2	1	Ahmednagar	2	..	8	..	1	1
rnool	2	1	11	5	East Khandesh	4	2	10
y	4	1	7	..	West Khandesh	110	68	1	1	4	1
antapur	14	3	Nasik	26	14	1
dras	52	4	35	5	Poona	..	1	17	1	25	11
ingleput	31	19	3	Satara	3	3	4	..	15	6
thoor	24	15	14	1	Sholapur	5	2	5	2	1	..
h Arcot	138	61	3	2	Belgaum
em	53	29	..	1	6	..	Bijapur	5
mbatore	1	Dharwar	1	1
th Arcot	2	1	1	Kanara
ajore	Ratnagiri	2	1
chinopoly	12	1	Kolaba	16	11
dura	Dangs
mnad.	1	1	10	1	Kolhapur
velly	1	1	Baroda
ris	1	..	1	..	Mehsana
abar	Amreli
th Kanara	7	4	Navasari	7	4
TOTAL	749	352	247	53	14	..	TOTAL	172	101	96	17	46	20
(Std. midyear Pop. 2,929 thousands)							(Std. midyear Pop. 22,880 thousands)						
l for w/e 6-8-49	870	444	355	84	9	1	Total for w/e 6-8-49	154	77	127	21	34	13
l for w/e 30-7-49	801	369	362	74	8	2	Total for w/e 30-7-49	209	101	137	27	12	7
arly mean for week	1,011	403	280	56	52	32	7-yearly mean for th week.	718	297	71	15	57	24

Explanation of Symbols used :— C=Cases ; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 13th August 1949—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Bengal, West													
Burdwan . . .	7	3	1	Rae Bareilly . .	6	2
Birbhum	Sitapur . . .	35	14
Bankura . . .	15	7	Hardoi
Midnapur . . .	2	Kheri . . .	9	6
Hooghly . . .	1	Fyzabad
Howrah . . .	8	7	2	2	Gonda . . .	1
24 Parganas . .	9	5	4	1	Bahraich
Calcutta . . .	43	8	10	7	2	..	Sultanpur . . .	2	2
Nadia . . .	6	5	2	1	Partabgarh
Murshidabad	Bara Banki . .	5	2
Malda	TOTAL . . .	485	190	26	6	5	..
West Dinajpur	(Estd. mid-year pop.						
Jalpaiguri	59,132 thousands).						
Darjeeling	Total for w/e						
Total . . .	91	35	19	11	2	..	6-8-49 . . .	203	89	20	9	6	1
(Estd. midyear Pop.							Total for w/e						
22,669 thousands)							30-7-49 . . .	125	60	48	12
Total for w/e 6-8-49	97	30	14	12	8	1	7-yearly mean for						
Total for w/e 30-7-49	95	26	25	6	3	..	the week, . .	854	414	40	11	3	1
7-yearly mean for													
the week . . .	254	125	26	17	Punjab, East						
United Provinces													
Dehra Dun	Fissar . . .	4	2
Sahasganj . . .	3	1	1	Rohtak . . .	3
Muzaffarnagar . .	4	1	Gurgaon
Meerut . . .	17	Karnal . . .	4	2
Bulandshahr	3	Ambala . . .	1
Aligarh . . .	38	7	Simla
Mathura . . .	51	27	Kangra
Agra . . .	9	3	Hoshiarpur	1	1
Mainpur . . .	16	3	9	3	Jullundur
Mitah . . .	12	2	Ludhiana
Bareilly . . .	21	12	3	Ferozepur	1
Bijnor	Amritsar . . .	11	8	..	1
Madaun . . .	1	1	Gurdaspur . . .	27	16
Moradabad . . .	6	4	2	TOTAL . . .	50	28	2	2
Shahjahanpur . .	41	17	Estd. mid-year pop.						
Pilibhit . . .	3	2	14,690 thousands).						
Farrukhabad . . .	16	5	Total for w/e 6-8-49	12	7	3
Etawah . . .	40	18	1	1	Total for w/e 30-7-49	11	6	3	1
Kanpur . . .	36	13	7-yearly mean						
Fatehpur	2	for the week, . .	28	14	2	3
Allahabad . . .	7	2	1	1							
Jhansi	Bihar						
Jalaun . . .	9	3	Patna . . .	9	8
Hamirpur . . .	37	12	Gaya . . .	1	1
Banda . . .	11	3	5	2	Shahabad . . .	3	..	9	6
Banaras . . .	12	6	4	1	Saran . . .	13	1
Mirzapur . . .	10	8	Ohamparan
Jaunpur	Mazaffarpur
Ghazipur	Darbhanga	1	1
Ballia	Monghyr	3	..	2	2
Gorakhpur	Bhagalpur
Deoria . . .	6	3	Purnea
Basti	Santal Parganas .	7	2
Azamgarh	Hazaribagh	4	1
Nainital	Ranchi . . .	10	6
Almora	Manbhum . . .	8	3
Gahwal	Palamau . . .	4	1
Lucknow	Singhbhum
Unao . . .	21	11	TOTAL . . .	55	17	16	7	3	3
							(Estd. mid-year pop : 37,600						
							thousands).						
							Total for w/e 6-8-49	117	44	21
							Total for w/e 30-7-49	89	33	12	1
							7-yearly mean for						
							the week . . .	1,567	779	56	17

Explanation of Symbols used :— C=Cases; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 13th August, 1949—*concl.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
UNIONS & STATES								Hyderabad State							
Madhya Bharat								Aurangabad							
								Nanded							
								Parbhani							
Rajgarh	19	14	Bhir							
Shivpuri	3	3	Gulberga							
Ujjain	3	1	Raichur							
Bhind	5	1	Bidar							
Guna	8	6	Osmanabad							
Jhabua	10	7	Warrangal							
TOTAL	48	32	Adilabad							
Rajasthan								Nizamabad							
								Medak							
								Nalgonda							
Jaipur	1	Mahboobnagar							
Jodhpur	Hyderabad							
TOTAL	1	TOTAL							
Saurashtra								Kashmir State							
								Reasi							
								Jammu							
								TOTAL							
								Mysore State							
								Bangalore							
								Chikaldurg							
								Hassan							
								Chikmagalur							
								Kolar							
Halar	1	1	Mandya							
TOTAL	1	1	Mysore							
								Shimoga							
								Tumkur							
								TOTAL							
Assam States								Travancore State							
								TOTAL							
TOTAL	Grand total for Unions and States							
Cochin State								Grand total for India and Unions and States							
								2,252 1,044 532 137 241							
TYPHUS															
TOTAL								No report of any case of typhus was received during the week.							

No report of any case of typhus was received during the week.

NEW DELHI 3 (INDIA)

The 5th September, 1949.

S. P. JAIN,
for Registrar General, India.

NATIONAL SAVINGS

CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 6th August 1949.

Deaths from :—												
Town	Mid. 1949 Popn-Est. (000)	B.	B.R*.	C.	S.	P.	F.	D. D.	R.D.	Total	D.R.*	
A.—INDIA												
Madras												
Adoni	35	44	64.6	9	28	41.1	
Ambur	38	49	67.2	4	2	1	24	32.0	
Aruppukottai	36	41	59.3	4	5	2	21	30.4	
Bellary	63	45	36.9	5	..	5	21	17.3	
Cannanore	35	18	26.7	2	..	3	20	29.7	
Coimbatore	160	144	46.9	5	9	10	72	23.5	
Cuddalore	62	81	68.0	2	2	3	22	18.5	
Dindigul	67	59	38.9	4	4	1	25	13.5	
Eluru	71	33	24.1	4	1	2	20	14.6	
Erode	44	53	62.2	1	4	5	4	28	32.0	
Guddiyattam	39	23	30.4	10	1	2	3	33	43.6	
Guntur †												
Kakinada	83	35	22.0	2	7	..	3	24	15.1	
Kancheepuram	82	78	49.2	1	2	4	10	51	32.2	
Kozhikode	140	131	45.7	3	1	13	56	19.6	
Kumbakonam	71	40	29.3	1	3	26	19.1	
Kurnool	54	42	40.8		1	3	15	14.6	
Madras	998	884	46.1	7	4		44	107	262	827	43.1	
Mangalore	93	97	54.2		1		5	2	3	37	20.7	
Masulipatam	61	46	36.2	1	4	3	19	16.2	
Mathurai	287	271	49.1		15	11	53	175	13.7	
Mayuram	33	19	29.7	2	12	18.7	
Melapalayam	32	27	16.4	2	1	4	15	9.1	
Nagapattinam	57	57	152.4	2	..	1	13	11.9	
Nellore	65	101	80.8	5	9	5	45	36.0	
Palam Cotta	34	21	32.6	2	2	11	17.1	
Palghat	60	69	59.6		1	..	6	32	27.6	
Rajahmundry	84	81	50.3	4	7	59	36.6	
Rajapalayam	53	32	31.6	1	18	17.8	
Salem	153	106	36.1	1	..		4	..	5	34	11.6	
Srivilliputtur	37	37	52.7	3	8	..	30	42.7	
Tanjore	70	75	55.6	1	3	37	27.4	
Tellicherry	41	46	57.9	1	3	3	21	26.4	
Tenali	46	22	25.2	3	1	..	12	13.8	
Tiruchitrappalli	174	140	42.1		1	2	11	68	20.4	
Tirunelveli	64	33	27.0	3	9	32	26.1	
Tiruppur	46	45	51.3	4	4	17	19.4	
Tiruvannamalai	38	48	65.0	2	1	2	13	17.6	
Tuticorin	88	63	37.1	1	11	35	20.6	
Valniyambadi	38	21	28.6	2	3	..	3	29	38.1	
Vellore	83	96	59.8	3	9	50	31.2	
Vijayavada	108	92	44.4		7	6	6	39	18.8	
Virudunagar	36	47	68.3	1	4	10	14.5	
Vizagapatam	81	65	41.7	6	4	7	40	26.7	
Vizianagaram	58	39	35.2	2	2	3	21	19.0	
TOTAL	4,107	3,587	45.4	24	5	..	157	217	501	2,237	28.3	

*In case of towns where there have been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—

B=Births; B. R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fevers; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory diseases; D. R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 6th August 1949—*contd.*

Deaths from :—

Town	Mjd-1949 Popn-Est. (000)	B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	Total	D. R.*
Bombay											
A.—INDIA—<i>contd.</i>											
Ahmedabad	826	681	39.8	112	14	43	362	22.3
Ahmednagar	64	74	59.7	4	2	8	20	23.4
Amalner	44	29	34.3	4	1	...	7	8.3
Bandra	97	70	37.4	2	4	4	36	19.2
Baroda city	184	155	43.8	46	12	9	102	28.8
Barsi	41	60	63.6	13	...	5	31	39.4
Belgaum	75	45	31.2	8	1	3	28	19.4
Bhusawal	43	29	34.8	3	...	1	10	12.0
Bijapur	57	37	34.0	2	...	4	18	16.5
Bombay	1,764	986	29.1	52	39	195	828	24.4
Broach	74	47	33.1	13	3	3	38	20.8
Dharwar	54	33	31.8	1	...	2	12	11.6
Dhulia	65	44	35.4	1	1	...	6	...	3	17	13.7
Gadag Betgeri	65	41	32.8	14	2	4	36	28.8
Godhra	48	15	16.3	6	6	6.5
Hubli	106	103	50.7	4	...	6	31	15.3
Jalgaon	61	20	17.2	8	27	23.2
Kalyan	36	19	27.8	2	1	1	6	8.8
Kolhapur	112	103	47.7	13	5	9	45	20.8
Kurli	46	23	37.0	5	2	2	21	23.6
Malegaon	40	43	55.4	19	1	5	25	32.2
Nadiad	56	52	47.9	25	...	1	27	34.0
Nasik	58	45	40.4	6	3	5	40	35.9
Navsari city	45	34	39.6	14	16	18.6
Pandharpur	37	37	52.6	...	1	...	7	3	5	21	29.0
Parle Andheri	56	20	18.5	4	...	3	12	11.1
Patan City	43	39	48.1	5	3	2	18	22.2
Poona	307	158	26.8	...	1	...	21	12	28	147	24.9
Satara	40	18	23.2	1	9	11.8
Sholepur	260	206	41.1	3	5	3	110	22.0
Surat	232	163	36.6	1	26	7	11	99	22.2
TOTAL	5,035	3,379	34.9	2	3	..	509	120	392	2,224	23.0
Bengal, West											
Asansol†	67	19	14.8	3	1	5	3.9
Bally	59	10	8.8	2	4	3.5
Bankura	69	25	18.9	1	6	3	20	15.1
Baranagar	53	4	3.9	...	1	...	10	1	4	18	17.6
Berhampur	144	24	8.7	3	2	...	38	13.8
Bhatpara	39	7	9.3	1	1	4	10	13.3
Budge-Budge	82	17	10.8	3	2	...	11	7.0
Burdwan	2,896	786	14.1	16	2	...	88	91	158	720	13.0
Calcutta	37	7	9.8	1	...	1	4	5.6
Champdani	110	18	6.2	11	2	1	20	9.5
Garden-Reach	63	22	18.3	2	2	11	9.1
Hooghly-Chinsura	508	96	9.9	3	3	...	23	21	27	165	16.9
Howrah	53	18	12.9	3	...	5	4.9
Kamarhati	38	1	1.4
Krishnagar	52	8	8.0	2	4	...	14	13.9
Midnapur	40	10	12.9	5	2	1	12	15.5
Nabadwip	52	5	5.1	5	5.1
Naihati	69	16	12.1	5	7	2	25	18.9
Serampur	83	30	18.7	1	3	2	11	6.9
South Suburban	64	34	27.7	1	18	23	17.9
Titagarh	87	11	6.6	1	1	0.6
Tollyganj
TOTAL	4,665	1,168	12.9	20	6	..	175	150	206	1,121	12.5

Explanation of symbols used :—

B=Births; B. R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fever; D.D.=Dysentery and Diarrhoea, R.D.=Respiratory diseases; D. R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 6th August 1949—*contd.*

Deaths from :—											
Town	Mid-1949 Popn-Est. (000)	B.	B. R.*	O.	S.	P.	F.	D. D.	R. D.	Total	D.R.*
A—INDIA—contd.											
United Provinces											
Agra	301	407	70.6	4	6	66	155	26.9
Allahabad	307	107	18.2	2	2	28	60	10.2
Amroha	65	47	37.6	3	8	6	25	20.0
Bahraich	45	18	20.8	3	1	1	9	10.4
Balrampur	49	18	31.0	3	5	8.6
Banaras	301	229	39.6	..	2	..	74	12	20	191	33.1
Bareilly	219	143	34.0	34	10	27	87	20.7
Budaun	58	43	38.9	7	2	2	18	16.3
Dehra Dun	71	41	30.0	..	2	..	7	1	2	19	13.9
Etawah	58	57	51.0	7	15	2	11	59	52.9
Faizabad-Ajodhya	55	13	12.3	..	1	..	2	2	3	12	11.3
Farrukhabad-Fatehgarh	62	51	42.8	1	8	6	3	28	23.5
Ferozabad	54	45	43.7	9	15	14.6
Ghazipur	35	36	54.4	8	..	3	13	19.6
Gorakhpur	106	84	41.5	15	5	4	32	15.8
Hapur	41	53	67.5	7	..	5	14	17.8
Hardwar-Union	47	39	43.2	13	4	5	34	37.6
Hathras	53	79	77.7	10	4	4	26	25.6
Jaunpur	51	40	41.1	8	1	1	16	16.4
Jhansi	85	83	51.1	..	2	..	38	..	2	60	36.9
Kanpur	630	306	25.3	1	89	29	30	231	19.1
Khurja	39	24	32.3	3	..	3	13	17.5
Koil-Aligarh	137	77	29.4	6	1	4	17	6.5
Lucknow	443	318	37.4	49	16	31	182	21.4
Mathura	90	104	60.1	12	2	5	37	21.4
Meerut	139	123	46.2	12	1	17	48	18.0
Mirzapur-Vindhyachal	79	48	31.7	15	3	1	30	19.8
Moradabad	169	130	40.1	5	8	12	58	17.9
Muzaffarnagar	56	35	32.4	9	3	2	17	15.8
Pilibhit	51	45	45.8	6	14	14.3
Saharanpur	128	120	48.8	29	2	2	53	21.6
Sambhal	62	78	65.7	..	4	..	11	5	2	27	22.8
Shahjahanpur	128	65	26.5	28	..	6	45	18.3
Sitapur	35	25	37.1	..	2	..	5	1	1	10	14.9
TOTAL	4,249	3,131	38.3	9	13	..	549	137	309	1,660	20.3
Punjab, East											
Ambala †	495	129	13.6	16	16	32	103	10.9
Amritsar	54	31	30.4	4	5	5	..	20	19.4
Batala	51	60	61.8	3	7	7.2
Bhiwani	36	15	21.5	2	5	7.2
Ferozepore	47	33	36.7	4	..	6	6.7
Hissar	31	26	43.0	1	4	6.6
Hoshiarpur	43	27	33.1	3	..	1	6	7.4
Jullundur	142	99	36.5	23	1	..	28	10.3
Karnal	46	39	43.8	9	..	2	14	15.7
Ludhiana	148	114	40.3	6	..	1	13	4.6
Moga	36	27	38.8	4	5	7.2
Panipat	42	36	44.8	7	..	1	10	12.4
Rewari	34	28	42.5	3	1	1	10	15.2
Rohtak	59	20	17.7	1	..	1	5	4.4
TOTAL	1,264	684	28.1	4	81	27	41	236	9.7

Explanation of symbols used :—

B=Births ; B.R.=Birth rate ; C=Cholera ; S=Smallpox ; P=Plague ; F=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory diseases ; D. R.=Death rate.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 6th August 1949—*contd.*

Deaths from :—

Town	Mid-1949 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.*
A.—INDIA— <i>conold.</i>											
Bihar											
Return not received											
Central Provinces											
Akola	75	80	55.4	11	6	1	46	31.9
Amraoti	75	92	64.1	8	1	4	26	18.1
Bilaspur	42	30	36.7	1	1	20	24.5
Burhanpur	62	45	37.6	9	15	12.5
Chanda	42	33	40.8	5	5	5	28	34.6
Damoh †											
Ellichpur	34	49	75.2	4	1	..	12	18.4
Hinganghat	33	25	39.9	2	8	..	30	47.9
Jubbulpore	170	70	21.4	12	3	3	35	10.7
Khandwa	42	36	44.9	5	..	1	15	18.7
Nagpur †											
Nagpur Civil Station †											
Raipur †											
Saugor †											
Wardha	36	22	32.1	3	6	8.7
Yestmal	31	30	50.0	5	..	2	19	31.7
TOTAL	642	512	41.5	64	25	17	252	20.4
Orissa											
Berhampur	48	50	53.5	6	13	1	35	37.5
Outtock	82	86	55.0	1	3	9	..	45	28.8
Puri	44	42	56.0	12	12	2	44	52.0
TOTAL	174	178	53.2	1	21	34	3	124	37.1
Ajmer-Merwara											
Ajmer	170	130	39.6	11	6	8	40	12.2
Beawar	44	32	38.1	2	—	6	13	15.5
TOTAL	214	162	39.4	13	6	14	53	12.9
Bhopal											
Bhopal Town	87	39	23.3	6	9	5.3
Delhi											
Delhi city	667	611	47.0	..	1	..	84	19	26	187	14.6
New Delhi	118	119	52.5	1	3	1	51	22.5
TOTAL	785	730	48.4	..	1	..	85	22	27	238	15.8
(B) UNIONS AND STATES											
Patiala and East Punjab States											
Patiala	82	45	29.1	—	9	1	..	17	17.8
Rajasthan Union											
Alwar	59	11	9.7	—	1	2	..	3	2.6
Bikaner	162	65	20.9	4	3	7	24	7.7
Jaipur	198	38	10.3	—	—	—	34	7	7	89	23.3
Jodhpur	154	12	4.6	..	—	..	6	2	..	8	2.7
Udaipur	71	11	8.1	—	2	10	7.3
TOTAL	644	137	11.1	..	—	..	47	14	14	134	10.8
Saurashtra Union											
Jamnagar	85	52	31.8	..	1	—	17	2	3	30	18.4
Junagadh †											
Porbandar	61	16	13.6	—	—	—	8	—	..	18	15.3
TOTAL	146	68	24.2	..	1	..	25	2	3	48	17.1

Explanation of symbols used :—

B=Births; B.R.= Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; D.R.= Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 6th August 1949.—*contd.*

		Deaths from :—										
Town	Mid-1949 popn-Est (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.*	
Cochin State		B.—UNIONS AND STATES— <i>contd.</i>										
Ernakulam	55	43	40.6	5	...	3	49	46.2	
Mattancheri	65	53	42.7	5	5	8	30	24.2	
Trichur	67	83	64.2	8	7	8	32	24.6	
TOTAL	187	179	49.8	21	12	19	111	30.9	
Mysore State												
Bangalore City	312	255	49.9	...	1	...	2	35	21	136	26.6	
Kolar Gold Fields	174	130	38.7	4	10	6	53	15.8	
Mysore City	187	89	24.8	6	1	2	30	8.4	
TOTAL	673	474	36.6	...	1	...	12	46	29	219	16.9	
Travancore State												
Alleppey	67	29	22.6	1	8	6.2	
Kottayam	40	33	42.0	1	...	1	0	11.6	
Nagercoil	59	44	38.8	1	1	3	15	13.2	
Quilon	63	60	49.8	3	5	6	24	19.9	
Trivandrum	155	110	36.8	10	14	7	85	28.6	
TOTAL	384	276	37.4	15	20	18	141	19.1	
Bombay		ARREAR RETURNS										
For w/e the 23rd July 1949												
Ahmedabad	826	524	33.0	140	3	28	280	17.8	
Ahmednagar	64	61	49.2	5	...	5	23	18.6	
Amalner†												
Bandra	97	68	36.4	1	3	7	37	19.8	
Baroda city	184	153	43.3	32	5	7	74	20.9	
Barsi	41	28	35.6	11	...	1	23	29.3	
Belgaum	75	57	39.5	6	1	1	17	11.8	
Bhusawal	43	30	36.0	5	...	1	15	18.0	
Bijapur	57	43	39.5	1	2	1	12	11.0	
Bombay	1,764	1,085	32.0	...	5	...	50	41	218	828	24.4	
Broach	74	60	42.3	5	3	5	17	12.0	
Dharwar	54	49	47.3	1	16	16.4	
Dhulia	65	29	23.3	11	1	...	18	14.5	
Gadag-Betgeri	45	29	23.2	8	2	3	27	21.6	
Godhra	48	25	27.6	7	2	...	10	11.9	
Hubli	106	94	46.3	12	9	6	47	23.1	
Jalgaon	61	48	41.2	4	1	2	16	8.6	
Kalyan	36	25	36.5	2	1	2	1	9	13.1	
Kolhapur †												
Kurla	46	34	28.1	2	...	1	11	12.3	
Malegaon	40	38	36.4	3	16	6	3	32	41.2	
Nadiad	56	46	42.3	15	29	26.7	
Nasik	58	52	46.0	12	2	4	50	44.9	
Navsari city	45	23	26.9	5	6	6.9	
Pandharpur	37	34	48.4	4	5	6	21	29.9	
Parle Andheri	56	25	23.2	...	1	...	2	2	2	10	9.3	
Patan City	42	34	41.9	10	2	2	20	24.9	
Poona	307	203	34.4	28	18	28	158	26.8	
Satara	40	26	34.2	9	...	8	24	31.6	
Sholapur	260	191	38.3	11	8	36	111	22.2	
Surat	232	172	38.5	26	7	12	87	19.5	
TOTAL	4,879	3,286	35.0	5	6	—	435	125	386	2,022	21.6	

Explanation of symbols used :—
B = Births ; B R. = Birth rate ; C = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery & Diarrhoea ;
R.D. = Respiratory diseases ; D. R. = Death rate.
† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 6th August 1949—concll.

Deaths from :—

Town				Mid-1949 Popn-Est. (000)	B	B. R.*	C.	S.	P.	F.	D. D.	R. D.	Total	D.R.*
Madras		For week												
Guntur	. . .	19-2-49	98	52	27.3	..	3	..	4	2	8	36	18.9	
"	. . .	14-5-49	"	84	44.1	8	4	3	39	20.8	
"	. . .	4-6-49	"	96	47.3	6	2	3	41	21.6	
"	. . .	11-6-49†	"	81	42.6	..	1	..	5	1	7	28	14.7	
"	. . .	25-6-49	"	89	46.8	2	2	9	41	21.6	
"	. . .	2-7-49	"	95	48.9	2	4	36	17.9	
Tiruppur	. . .	16-4-49	46	18	20.5	2	10	11.4	
"	. . .	21-5-49	"	22	25.1	2	6	14	16.0	
"	. . .	28-5-49	"	12	13.7	1	7	8.0	
"	. . .	4-6-49	"	14	15.9	1	2	8	9.1	
"	. . .	11-6-49	"	5	6.0	1	1	1.1	
"	. . .	18-6-49	"	23	26.2	3	1	1	13	14.8	
Vizagapatam	. . .	14-5-49	81	46	29.5	..	1	..	3	2	5	22	14.2	
"	. . .	28-5-49	"	52	33.4	4	4	5	33	21.2	
"	. . .	25-6-49	"	49	31.4	2	5	8	34	21.8	
Madras	. . .	14-5-49	998	920	47.9	..	4	..	38	57	167	553	27.8	
Kakinada	. . .	28-5-49	83	27	17.0	1	..	2	33	14.4	
"	. . .	4-6-49	"	13	8.2	10	27	17.0	
"	. . .	11-6-49	"	19	11.9	4	..	1	22	13.8	
"	. . .	18-6-49	"	23	14.4	7	3	..	34	21.4	
"	. . .	25-6-49	"	37	23.2	..	1	..	8	..	1	35	22.0	
"	. . .	2-7-49	"	25	15.7	2	1	..	9	5.7	
Coimbatore	. . .	4-6-49	160	162	52.8	2	9	15	71	23.1	
"	. . .	11-6-49	"	111	36.2	1	8	11	59	19.2	
Mayuram	. . .	25-6-49	33	36	46.8	2	1	14	21.9	
Bombay														
Kalyan	. . .	2-7-49	36	12	17.5	4	1	..	1	7	10.2	
"	. . .	9-7-49	"	30	43.8	1	13	1	3	22	33.2	
"	. . .	16-7-49	"	21	30.7	2	2	..	6	13	19.0	
"	. . .	30-7-49	"	13	19.0	2	1	1	9	13.2	
C. P.														
Raipur	. . .	25-6-49	79	27	17.9	2	1	..	3	3.0	
"	. . .	2-7-49	"	23	15.2	3	2	1	1	8	5.3	
Punjab Ea st														
Moga	. . .	23-4-49	36	22	31.6	3	1	..	5	7.2	
Rewari	. . .	28-5-49	34	5	7.6	3	1	3	7	10.6	
Ambala	. . .	23-7-49	51	24	24.3	3	3	3.0	

Explanation of symbols used :—

B=Births; B.R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fever; D.D.=Dysentery and Diarrhoea; R. D.=Respiratory diseases; D.R.=Death rates.

† Figures not available

REMARKS

The figures of births and deaths shown in this statement for week ending the 6th August, 1949 relate to 182 towns with an estimated population of 23,338 thousands. The total number of towns is 213 and their population is 25,943 thousands. Thus 85% of the total number of towns representing 90% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 14,739 and 88,24 representing birth and death rates of 32.8 and 19.7 per thousand of the population respectively.

(A) *Indian Provinces*.—The data here relate to 163 towns with an estimated population of 21,222 thousands. Information from Bihar and Assam could not be included. The total number of towns is 189 and their population is 23,320 thousands. Thus 86% of the total towns representing 91% of the total population is covered. The numbers of births and deaths recorded in these towns were 13,560 and 8,154 representing birth and death rates of 33.2 and 20.0 per thousand of the population respectively. The table at the end gives

the position by provinces. Etawah in U.P. and Puri in Orissa recorded high death rates of 52.9 and 52.0 per thousand of the population respectively. In Etawah there was a number of deaths from cholera; deaths from fevers and respiratory diseases were considerable. In Puri deaths from fevers and dysentery and diarrhoea were quite large.

(B) *Unions and States*.—The data here relate to 19 towns with an estimated population of 2,116 thousands. The total number of towns is 24 and their population is 2,623 thousands. Thus 79% of the total number of towns representing 81% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,179 and 670 representing birth and death rates of 29.0 and 16.5 per thousand of the population respectively. No town recorded a high death rate of 50 or over per thousand of the population.

Provinces	Current w/e 6-8-49		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Madras	45.4	28.3	42.0	21.2	43.5	26.5
Bombay	34.0	23.0	30.8	21.1	32.5	25.2
Bengal, West	12.9	12.5	12.3	14.3	11.9	14.0
U. P.	38.3	20.3	34.6	19.6	39.6	25.3
Punjab, East	28.1	9.7	16.5	7.8	32.9	15.7
C. P.	41.5	20.4	39.4	24.3	38.0	25.2
Orissa	53.2	37.1	40.8	28.1	35.8	27.9
Ajmer	39.4	12.9	27.2	16.6	37.3	21.8
Delhi	48.4	18.8	28.6	7.4	36.7	18.8
Indian Provinces	33.2	20.0	29.3	18.3	35.5	22.7

NEW DELHI 3 (INDIA); }
The 5th September, 1949. }

S. P. JAIN, .
for Registrar General, India.

